

ATD **SABER**



LIGHTING & EQUIPMENT


www.atdtools.com



Since 1977, ATD Tools, Inc. has focused on providing professional automotive tools and equipment at competitive prices. After over forty years, we are still committed to providing the quality tools you need at a price you can afford.



Our tools and equipment are quality control tested at the manufacturer, by independent labs and in the field to ensure they meet the performance and durability professional mechanics demand today and will continue to demand for years to come.

Underhood Lights	3
Work Lights	4, 5
Tube Lights	6
Paint Gun Light	7
Pocket Lights	7
Floodlights	8, 9
Headlamps	10
Indoor / Outdoor Extension Cords.....	11



Visit us online at www.atdtools.com to view the full line of products available.

A pdf version of this catalog along with other informational pdf files are available online under the "Literature" tab.





ATD-80444
2,000 LUMEN LED RECHARGEABLE UNDERHOOD LIGHT WITH (2) REMOVABLE BATTERIES

- Features:**
- 2,000 constant lumen LEDs deliver wider and brighter lighting areas
 - (3) brightness settings: High-2000 lumens / Medium-1000 lumens / Low-500 lumens
 - Memory function records setting after 5 seconds, and that setting is recalled the next time device is activated
 - 360 degree rotating aluminum bar extends 46" to 77.5" for universal attachment
 - Battery indicator LEDs show battery level and charging progress
 - Automatic shut-off and overcharge protection for optimal battery life
 - Low battery warning indicates charging will be required soon
 - Includes (2) removable 4800mAh lithium-ion rechargeable batteries for extended runtimes
 - Includes USB-C charging cord and 5V AC wall adapter

- Specifications:**
- Lumens: 500 low / 1,000 medium / 2,000 high
 - Runtimes: 4 hours low / 2 hours medium / 1 hour high
 - (2) 3.6V, 4800mAh lithium-ion rechargeable batteries (ATD-80445)

ATD-80445
REPLACEMENT BATTERY FOR ATD-80444 UNDERHOOD LIGHT

- Features:**
- Replacement battery for use with ATD-80444 SABER Underhood Light
 - LED charging indicator shows charging process
 - Rechargeable (21700) 3.6V, 4800mAh lithium-ion battery



ATD-80365
2,000 LUMEN LED CORDED / CORDLESS UNDERHOOD LIGHT WITH 25' REMOVABLE CORD


- Features:**
- Performance of a corded light with the convenience of a rechargeable light
 - Human body sensor (HBS), is a 360° microwave radar motion sensor that automatically activates the light when a human body is moving within 10' to 15' and turns off when out of range. Saves battery power and lifecycle
 - 40" light bar provides 2000 lumens of bright light for maximum area illumination
 - SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
 - Hooks extend 55" to 83" to fit new SUVs and light trucks
 - Large padded covered hooks for easy attachment and increased stability
 - (2) brightness modes: High-2000 lumens / Low-1000 lumens
 - 25' 18/2 SJTOW removable cord remains flexible in cold weather and is oil and grease resistant
 - Push-button LED battery level indicator
 - IK07 rated for mechanical impact protection

- Specifications:**
- UL/cUL listed 8.4V, 2.2A charger and 25' 18/2 SJTOW cord
 - Battery: 7.4V, 5200mAh Li-Ion battery
 - Runtime: Up to 2-hours (high), up to 4-hours (low)



ATD-80050A
1,500 LUMEN LED UNDERHOOD LIGHT

- Features:**
- Super-bright, 1,500 lumen SMD LED bulbs provide excellent area illumination
 - Telescoping and ratcheting brackets allow for perfect positioning of light
 - Rubber covered ends on telescoping brackets allow use on hoods from 47" to 75" wide without damage to paint
 - 25 ft. 18/2 SJTOW cord remains flexible in extreme cold weather and is oil resistant
 - IK07 rated for mechanical impact protection



ATD-80357
2,000 LUMEN LED CORDED / CORDLESS UNDERHOOD LIGHT WITH 25' REMOVABLE CORD

- Features:**
- Performance of a corded light with the convenience of a rechargeable light
 - 40" light bar provides 2000 lumens of bright light for maximum area illumination
 - SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
 - Large padded covered hooks for easy attachment and increased stability
 - Hooks extend 55" to 83" to fit new SUVs and light trucks
 - High and low settings for varied brightness and runtimes
 - 25' 18/2 SJTOW removable cord remains flexible in cold weather and is oil and grease resistant
 - Push-button LED battery level indicator
 - IK07 rated for mechanical impact protection

- Specifications:**
- UL/cUL listed 8.4V, 2.2A charger and 25' 18/2 SJTOW cord
 - Battery: 7.4V, 5200mAh Li-Ion battery
 - Runtime: Up to 2-hours (high), up to 4-hours (low)

ATD-80303 290 LUMEN COB LED RECHARGEABLE WORK LIGHT

Features:

- SABER 3 Watt single strip COB LED bulb offers a wider and brighter lighting area
- Lithium-ion battery for longer life and consistent power
- Super strong magnetic base sticks to steel surfaces
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- 360° rotating hook on top provides multiple hanging options
- Light head rotates 180° and pivots 120° to focus light on work area
- Automatic shut-off and overcharge protection for optimal battery life
- Tough impact resistant ergonomic housing
- COB (chip on board) LEDs have increased thermal dissipation, longer lifetime and better lighting effect
- Includes USB charging system (USB cord & 120V AC wall power plug)
- IK07 rated for mechanical impact protection

Specifications:

- Bulb: 3 Watt LED strip
- Battery: 3.7 Volt, 2200mAh lithium-ion rechargeable
- Lux: 110
- Runtime: 3 hours continuous
- Lumens: 290
- Overall Length - 11-1/4" (not including the hook)



ATD-80304A 400 LUMEN COB LED RECHARGEABLE WORK LIGHT WITH TOP LIGHT

Features:

- COB LED delivers a wider and brighter lighting area
- SMD LED top light offers an additional 160 lumen flashlight function
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Super strong magnetic base provides hands-free use
- Light head pivots 120° to direct light to work area
- 360° rotating hanging hook recesses down around top light
- Tough, impact resistant ergonomic housing
- Automatic shut-off and overcharging protection for optimal battery life
- IK07 rated for mechanical impact protection
- Versatile 3-in-1 charging system: Charge from 120V AC with included wall power plug; Charge from 12V DC with included vehicle power plug; Charge from USB charging port with included USB cord

Specifications:

- Main COB LED Brightness: 400 lumens (high), 200 lumens (low)
- Battery: 3.7V, 2600mAh lithium-ion rechargeable
- Top SMD LED Brightness: 160 lumens
- Length: 10.5"
- Battery: 3.7V, 2600mAh lithium-ion rechargeable



ATD-80395A 800 LUMEN RECHARGEABLE WORK LIGHT WITH TOP LIGHT

Features:

- 7-Watt COB LED with (2) brightness settings
- 3-Watt SMD LED top light offers an additional flashlight function
- Automatic shut-off and overcharge protection for optimal battery life
- LCD battery power level indicator
- High and low settings for varied brightness and runtimes
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Light head pivots 120 degrees to direct light to work area
- Lithium-ion rechargeable battery for longer life and consistent power
- Dual 360 degree rotating hanging hooks recess into base (top and bottom)
- Magnetic base for positioning on steel surfaces
- Tough, impact resistant ergonomic housing with aluminum back shell for heat dissipation
- 3-in-1 charging system compatible with included mini USB cable and AC power adapter
- IK07 rated for mechanical impact protection

Specifications:

- Main Bulb Brightness: 800 lumens (high), 400 lumens (low)
- Runtime: 2.5-hours (high), 5-hours (low)
- Top Bulb Brightness: 160 lumens
- Length: 11.7"
- Battery: 3.7V 5200mAh lithium-ion rechargeable



ATD-80447 150 LUMEN FOLDABLE POCKET THIN LIGHT

Features:


- (2) 150 constant lumen COB LEDs deliver wider and brighter lighting areas
- High and low settings for varied brightness and runtimes
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Memory function records preferred brightness setting after 5 seconds of use and recalls it the next time the device is activated
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Ultra-thin design pivots 180° to allow inspection in the tightest work areas and folds flat for pocket storage
- 75-lumen LED top light provides an additional flashlight function
- Super strong magnetic base provides hands-free use
- Battery indicator shows charging progress
- Automatic shut-off and overcharge protection for optimal battery life
- Low battery warning indicates charging will be required soon
- Convenient flashing low-battery warning alerts user when it's time to recharge
- Includes USB-C charging cord

Specifications:

- Length: 12" (6.4375" folded)
- Top SMD LED Lumens: 75
- Top SMD LED Runtime: 2.5 hours
- Main COB LED Lumens: 75 low/150 high
- Main COB LED Runtime: 3.5 hours low/1.8 hours high
- Rear COB LED Lumens: 150
- Rear COB LED Runtime: 1.8 hours
- 3.7V, 700mAh lithium-ion rechargeable battery



Top light



ATD-80448 500 LUMEN FOLDABLE THIN LIGHT

Features:

- 500 constant lumen COB LED delivers a wider and brighter lighting area
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Rotary switch provides variable brightness of 100-500 lumens
- Memory function records preferred brightness setting after 5 seconds of use and recalls it the next time the device is activated
- Light wand folds 180° and pivots 180° to focus light on work area
- 100 lumen LED top light provides an additional flashlight function
- Battery indicator LEDs show battery level and charging progress
- Super strong magnetic base provides hands-free use
- Rotating hanging hook recesses into the magnetic base
- Automatic shut-off and overcharge protection for optimal battery life
- Low battery warning indicates charging will be required soon
- Includes USB-C charging cord and 5V AC wall adapter

Specifications:

- Length: 15.625" (8.6875" folded)
- Top SMD LED Lumens: 100
- Top SMD LED Runtime: 9.5 hours
- Main COB LED Lumens: 100 low/ 500 high
- Main COB LED Runtime: 12 hours low/ 2 hours high
- 3.7V, 2600mAh lithium-ion rechargeable battery



Top light



TUBE LIGHTS




ATD-80398 SABER® CLASSIC SERIES RECHARGEABLE TUBE LIGHT

Features:

- Super-bright, long-lasting SMD LED bulbs
- SABER's innovative constant current technology ensures that the light delivers the rated 500-lumen output consistently throughout the battery charge cycle
- Rubberized, impact-resistant ergonomic handle provides a non-slip grip
- Intuitive battery indicator LEDs provide a clear visual of charging status
- Swivel hooks with magnets allow hands-free use
- Automatic shut-off and overcharge protection to maximize battery life and ensure long-lasting performance
- IK07 rated for mechanical impact protection
- Includes USB Type-C charging cord

Specifications:

- LED Lumens: 500
- Runtime: 3.5 hours continuous
- Battery: 3.7V, 4400mAh lithium-ion rechargeable
- Length: 16.125"



ATD-80360A 500 LUMEN LED RECHARGEABLE TUBE LIGHT

Features:

- 500 constant lumen COB LED delivers a wider and brighter lighting area
- SABER's innovative constant current technology ensures that the light delivers the rated 500-lumen output consistently throughout the battery charge cycle
- Memory function records preferred brightness setting after 5 seconds of use and recalls it the next time the device is activated
- Low and high settings for varied brightness and runtimes
- Removable lithium-ion battery pack can be used as USB power source for charging electronic devices
- 80 lumen LED top light provides an additional spotlight function
- Rubberized, impact-resistant ergonomic handle provides a non-slip grip
- Automatic shut-off and overcharge protection for optimal battery life
- Battery indicator shows battery level and charging progress
- (2) Removable swivel hooks with magnets allow hands-free use
- IK07 rated for mechanical impact protection
- Includes USB-C charging cord

Specifications:

- Length: 14.75"
- Top SMD LED Lumens: 80
- Top SMD LED Runtime: 10 hours
- Main COB LED Lumens: 250 low/500 high
- Main COB LED Runtimes: 6 hours low/3 hours high
- ATD-80391 - 3.65V, 4000mAh lithium-ion rechargeable battery pack



ATD-80390A 700 LUMEN LED RECHARGEABLE TUBE LIGHT

Features:

- SABER's innovative constant current technology ensures that the light delivers the rated 700-lumen output consistently throughout the battery charge cycle
- 700 constant lumen COB LED delivers a wider and brighter lighting area
- Memory function records preferred brightness setting after 5 seconds of use and recalls it the next time the device is activated
- Removable lithium-ion battery pack can be used as USB power source for charging electronic devices
- Low and high settings for varied brightness and runtimes
- 80 lumen LED top light provides an additional spotlight function
- Rubberized, impact-resistant ergonomic handle provides a non-slip grip
- Battery indicator shows battery level and charging progress
- (2) Removable swivel hooks with magnets allow hands-free use
- Automatic shut-off and overcharge protection for optimal battery life
- IK07 rated for mechanical impact protection
- Includes USB Type-C charging cord

Specifications:

- Length: 16.25"
- Top SMD LED Lumens: 80
- Top SMD LED Runtime: 10 hours
- Main COB LED Lumens: 350 low/700 high
- Main COB LED Runtimes: 4.5 hours low/2.25 hours high
- ATD-80391 - 3.65V, 4000mAh lithium-ion rechargeable battery pack




ATD-80391 REPLACEMENT BATTERY PACK FOR ATD-80360A & ATD-80390A TUBE LIGHTS

Features:

- Replacement battery pack for use with 80360A or 80390A SABER Tube Lights
- LED battery indicator shows battery level and charging progress
- Rechargeable 3.65V, 4000mAh lithium-ion battery
- Fully charges in 3 to 4 hours

4000mAh USB Power Source:

- Battery pack can also be used to power mobile phones, tablets, MP3 players, and more
- Requires device USB cord when charging electronic devices





ATD-80460 500 LUMEN RECHARGEABLE PAINT GUN LIGHT

Features:

- Versatile color temperature settings:
Choose from (5) different color temperature settings ranging from 2700K to 6500K
- CRI rating of > Ra96 (color rendering index) ensures accurate and vibrant color representation
- Designed to securely fit onto paint guns with OD nozzle sizes ranging from 27mm to 41mm, providing a stable and reliable lighting solution
- Optional motion-sensing mode allows you to effortlessly turn the light ON or OFF with a double-wave gesture
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Memory function records preferred color temperature and brightness setting after 5 seconds of use and recalls it the next time the device is activated
- Built with chemical-resistant polypropylene and nylon housing materials, this product is designed to withstand the demands of various paint shop environments
- Replaceable clear polycarbonate covers keep the lens clean and bright
- Flexible hinge enables seamless fitment onto a wide range of paint gun brands and styles while also conveniently transforming the light into an optional handheld work light
- Equipped with USB Power Delivery (USB-C PD) fast-charging technology, this product ensures quick and efficient charging for minimal downtime
- IP65 rated for dust and water resistance, as well as IK07 rated for mechanical impact protection
- Automatic shut-off and overcharge protection to maximize battery life and ensure long-lasting performance
- Convenient flashing low-battery warning alerts user when it's time to recharge
- Intuitive red and green charging indicator LEDs provide a clear visual of charging status

SABER
EXACTMATCH



Includes:

- (5) clear polycarbonate lens covers (also available separately - ATD-80465)
- USB type-C charging cord

Specifications:

- Length: 8.07" (4.875" folded)
- Runtimes: 2 hours (high), 4 hours (low)
- Brightness: 500 lumens (high), 250 lumens (low)
- Battery: 3.6V 3200mAh lithium-ion rechargeable



ATD-80465 REPLACEMENT LENSES FOR SABER PAINT GUN LIGHT

Includes:

- (5) clear polycarbonate lens covers
- For use with ATD-80460 - 500 Lumen Rechargeable Paint Gun Light



ATD-80302 60 LUMEN RECHARGEABLE LED KEYCHAIN LIGHT

Features:

- 60 lumen COB LED delivers a wider and brighter lighting area
- Impact-resistant, lightweight aluminum housing resists rust and corrosion
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Automatic shut-off and overcharging protection for optimal battery life
- Includes USB Type-C charging cord
- SOS signal mode
- Available in counter display of 12
- IK06 rated for mechanical impact protection

Specifications:

- Brightness: 60 lumens
- Runtime: 1 hour
- Battery: 3.7V, 180mAh Li-poly rechargeable
- Length: 2"

ATD-80340B 200 LUMEN RECHARGEABLE LED POCKET LIGHT

Features:

- Super-bright COB LED bulb delivers a wider and brighter lighting area
- Two settings for varied brightness and run times
- 75 lumen LED top light provides an additional flashlight function
- Magnetic base swivels 180 degrees
- 360-degree rotating hanging hook recesses flat into integrated belt clip
- Memory function records setting after 5 seconds, and that setting is recalled the next time the device is activated
- Automatic shut off and overcharge protection prolongs battery life
- Constant current design delivers rated light output throughout battery charge cycle
- Includes USB Type-C charging cord

Specifications:

- Length: 4.75"
- Top Spotlight SMD LED Lumens: 75
- Top Spotlight SMD Runtime: 8 hours
- Main COB LED Lumens: 100 low/ 200 high
- Main COB LED Runtime: 6 hours low/ 3 hours high
- 3.7V, 1600mAh lithium-ion rechargeable battery



FLOODLIGHTS

ATD-80212 1,000 LUMEN MINI FLOODLIGHT

Features:

- Super-bright COB LED bulb delivers step-less dimming from 100 to 1000 lumens
- Fast charging: up to 90% of battery capacity after 2 hour charge
- Magnetic base swivels 180 degrees and is designed to hang from built-in hook or magnets
- Memory function records the brightness setting after 5 seconds, and that setting is recalled the next time device is activated
- Lithium-ion rechargeable battery for longer life and consistent power
- IP65 rated for dust and water resistance
- IK07 rated for mechanical impact protection
- Includes USB-C charging cord and 2 Amp AC charger

Specifications:

- Size: 3.74" W x 1.69" D x 2.91" H
- Step-less Dimming: 100-1000 lumens
- Runtime: Up to 12 hours
- Battery: 3.6V 4500mAh Lithium-ion battery



Back



Side



Bottom

ATD-80211 1,000 LUMEN COB LED CLAMP LIGHT WITH SPEAKER

Features:

- High-quality sound from built-in 5W wireless speaker
- Heavy-duty clamp features (2) strong magnets in base
- Digital battery and lumen setting indicator screen
- Memory function records brightness setting after 5 seconds, and that setting is recalled the next time device is activated
- Super-bright COB LED bulb delivers step-less dimming from 100 to 1000 lumens
- Lithium-ion rechargeable battery for longer life and consistent power
- IP65 rated for dust and water resistance IK07 rated for mechanical impact protection
- Includes USB-C charging cord and 5V 3.5A AC charger

Specifications:

- Step-less Dimming Floodlight: 100-1000 lumens
- Runtimes: Up to 15 hours
- Battery: 3.7V 4400mAh Lithium-ion battery



Side



Spin



Clamped

ATD-80335

4,200 LUMEN COB LED FLOODLIGHT WITH TELESCOPIC STAND

Features:

- Super bright 35 Watt 4,200 lumen COB LED
- Heavy-duty industrial design with diecast aluminum housing
- 16 ft. oil-resistant power cord remains flexible in cold weather
- Quick fastening light head for easier adjustment
- 160 degree horizontal rotation on base
- Rotating telescopic stand easily folds for storage and extends from 34" to 72"
- CSA outdoor certificate
- Long beam distance
- COB (chip on board) LEDs have increased thermal dissipation, longer lifetime and better lighting effect
- IP67 rated for dust and water resistance
- IK07 rated for mechanical impact protection

Specifications:

- Power Cord: 18/3 SJTOW - 16 ft. length
- Brightness: 4200 lumens, 1300 lux



ATD-80416

1,400 LUMEN LED DOCK LIGHT

Features:

- Heavy-duty diecast yellow powder coated aluminum housing for high visibility and excellent corrosion resistance
- 16 ft. oil-resistant power cord remains flexible in cold weather
- Light head has special lens to illuminate loading docks and inside trailers
- 180° swivel bracket on light head allows unlimited mounting options
- IP67 rated for dust and water resistance
- IK07 rated for mechanical impact protection
- CSA outdoor certificate

Specifications:

- Power Cord: 18/3 SJTOW - 16 ft. length
- Brightness: 1400 lumens



HEADLAMPS

ATD-80250A 200 LUMEN LED RECHARGEABLE MOTION ACTIVATED HEADLAMP

Features:

- Motion sensing mode to turn light on/off without touching the headlamp
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Super-bright COB LED bulb delivers a wider and brighter lighting area
- Two floodlight settings for varied brightness and runtimes
- Memory function records preferred setting after 5 seconds and is recalled the next time device is activated
- Pivoting head allows user to focus light on work area
- Adjustable and removable headband with hardhat clips
- Battery charging indicator shows charging progress
- Automatic shut off and overcharge protection prolongs battery life
- IP65 rated for dust and water resistance
- IK07 rated for mechanical impact protection
- Includes USB Type-C charging cord



Specifications:

- Floodlight Lumens: 200 high/100 low
- Spotlight Runtime: 3 hours
- Floodlight Runtimes: 5 hours low/2.5 hours high
- Battery: 3.7V, 1400 mAh Li-ion rechargeable
- Spotlight Lumens: 120

ATD-80252 150 LUMEN INSPECTION PENLIGHT WITH HEADBAND & HAT CLIP

Features:

- 150 lumen COB LED delivers a wider and brighter lighting area
- SMD LED top light offers an additional 150 lumen spotlight function
- Impact-resistant, lightweight aluminum housing resists rust and corrosion
- SABER's innovative constant current technology ensures that the light delivers the rated lumen output consistently throughout the battery charge cycle
- Memory function records preferred setting after 5 seconds, and that setting is recalled the next time device is activated
- Additional red light feature for hunting, caution and SOS
- Magnetic clip rotates 360 degrees for multiple mounting options
- Battery indicator LED shows charging progress
- Automatic shut-off and overcharging protection for optimal battery life
- IK07 rated for mechanical impact protection
- Includes USB Type-C charging cord



Specifications:

- Main Bulb Brightness: 150 lumens (high), 75 lumens (low)
- Run Times: Up to 1.5 hours (high), 3 hours (low), 1.5 hours (red mode)
- Top Spotlight Brightness: 150 lumens
- Length: 3.7"
- Battery: 3.7V, 600mAh LiPo rechargeable

ATD-80446 220 LUMEN WIRELESS CHARGING HEADLAMP

Features:

- (2) 160 constant lumen COB LEDs deliver wider and brighter lighting areas
- Wireless charging compatibility (wireless charger not included)
- Memory function records preferred setting after 5 seconds and that setting is recalled the next time device is activated
- Two spotlight and two floodlight settings for varied brightness and runtimes
- Pivoting head allows user to focus light on work area
- Battery indicator shows charging progress
- Automatic shut-off and overcharge protection for optimal battery life
- Adjustable and removable headband
- Low battery warning indicates charging will be required soon
- IP65 rated for dust and water resistance
- IK07 rated for mechanical impact protection
- Includes USB-C charging cord

Specifications:

- Spotlight Lumens: 100 low/220 high
- Floodlight Runtimes: 5 hours Low/3 hours high
- Spotlight Runtimes: 6 hours Low/3 hours high
- Battery: 3.7V, 1500mAh lithium polymer rechargeable battery
- Floodlight Lumens: 100 low/220 high



This light features built-in wireless charging. Just place this light on top of your wireless charging pad, or use the included USB-C cord to charge.

ATD-8040
25 FT. INDOOR/OUTDOOR EXTENSION CORD

ATD-8041
50 FT. INDOOR/OUTDOOR EXTENSION CORD

Features:

- 12 AWG, 3-wire grounded indoor/outdoor extension cord
- Features a GLOW PLUG to indicate when power is ON
- Cord remains flexible down to -40°F
- Non-marring cord is oil, chemical and abrasion resistant
- 12/3 SJTW cord
- 15A, 125V, 1875W
- Meets OSHA standards
- cULus Listed

Glow Plug
 INDICATES POWER ON!



ATD-8002
25 FT. INDOOR/OUTDOOR EXTENSION CORD

ATD-8003
50 FT. INDOOR/OUTDOOR EXTENSION CORD

Features:

- 16 AWG, 3-wire grounded indoor/outdoor extension cord
- Features a GLOW PLUG to indicate when power is ON
- Cord remains flexible down to -40°F
- Non-marring cord is oil, chemical and abrasion resistant
- 16/3 SJTW cord
- 13A, 125V, 1625W
- Meets OSHA standards
- cULus Listed



Glow Plug
 INDICATES POWER ON!



ATD-8008
25 FT. INDOOR/OUTDOOR 3-OUTLET EXTENSION CORD

ATD-8009
50 FT. INDOOR/OUTDOOR 3-OUTLET EXTENSION CORD

Features:

- 14 AWG, 3-wire grounded indoor/outdoor extension cord
- Features a GLOW PLUG to indicate when power is ON
- Cord remains flexible down to -40°F
- Non-marring cord is oil, chemical and abrasion resistant
- 14/3 SJTW cord
- 15A, 125V, 1875W
- Meets OSHA standards
- cULus Listed



Glow Plug
 INDICATES POWER ON!





160 Enterprise Drive | Wentzville, MO 63385 | www.atdtools.com

©2025 ATD Tools, Inc. All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.

