




# REPAIR TOOLS & SHOP ACCESSORIES



Since 1977, ATD Tools, Inc. has focused on providing professional automotive tools and equipment at competitive prices. After over forty years, we are still committed to providing the quality tools you need at a price you can afford.


Our tools and equipment are quality control tested at the manufacturer, by independent labs and in the field to ensure they meet the performance and durability professional mechanics demand today and will continue to demand for years to come.

Creepers .....	3, 4
Creepers Seats .....	4
Parts Washers .....	5
Shop Press Accessories.....	5
Shop Presses .....	6
Work Benches .....	7
Abrasive Blasters.....	7
Professional Shop Vises .....	8
Air Blowers .....	8
Shop Fans .....	9, 10
Assortments.....	10-17
Shop Stools .....	18
Aluminum Platform .....	18
Kneeling Pad .....	18
Tie Downs & Tow Straps.....	18
Siphon Hose .....	18
Cable Ties .....	19
Hose Nozzles.....	19
Blow Guns.....	19
Lockout Tools.....	19
Fender Cover.....	19
Shop Consumables.....	19



Visit us online at [www.atdtools.com](http://www.atdtools.com) to view the full line of products available.

A pdf version of this catalog along with other informational pdf files are available online under the "Literature" tab.



## ATD-8116F EASY-REACH TOPSIDE CREEPER

### Features:

- Great for getting to the engine from the top of the vehicle
- Allows extended periods of time spent bending over the engine without the effect of painful fatigue
- The height of the Topside Creeper can be adjusted to allow use on many different types of vehicles
- Constructed of heavy-gauge steel with a powder coat finish to protect from scratching
- Deck is padded and covered with heavy vinyl for comfort and durability
- Folds for easy storage
- Height adjustable from 47.5" to 70"
- Shipping Dimensions: 51.2" x 24.4" x 6.7"
- Working Load Limit: 400 lbs
- 3" swivel casters with (2) locking swivel casters for easy movement



## ATD-81049 HEAVY-DUTY 3-IN-1 LOW PROFILE Z CREEPER

### Features:

- Comfortable fully upholstered pad
- (6) oil and chemical resistant 3" wheels
- Powder coated steel frame
- Quickly and easily converts from low profile creeper to Z-Creeper seat to L-Seat
- Perfect for the mechanic, paint & body or detail shop

### Specifications:

- Weight Capacity: 450 lbs.
- 40" L X 26" W X 4-3/4" H
- Weight: 25.8 lbs.



## ATD-81045 CONVERTIBLE CREEPER

### Features:

- Rated Tough! Up to 450 lbs!
- Easily transforms from creeper to shop seat with the pull of one pin
- 40" heavy-duty steel frame
- (6) 3" polyurethane oil resistant casters swivel easily with full ball bearings
- Fully upholstered pad
- Powder coat finish
- Capacity: 450 lbs.
- Creeper Dimensions: 40" L x 7-1/2" H x 19" W
- Seat Height - 18.5"
- Weight: 19.9 lbs.



## ATD-81046 400 LBS. CAPACITY LOW PROFILE CREEPER

### Features:

- Low profile design with 1/2" ground clearance
- (6) 3" swivel, oil-resistant polyurethane wheels
- 1/2" ground clearance

### Specifications:

- Weight Capacity: 400 lbs.
- 40" L x 26-3/4" W x 2" H
- Weight: 28 lbs.



## ATD-81031 40" STRAIGHT ARM STEEL CREEPER

### Features:

- 40" Straight Arm Steel Creeper
- (6) Industrial strength casters with 2-1/2" oil, chemical and grease resistant wheels
- Solid wheel design for added strength with rounded sides for easy movement
- Full 40" length heavy-vinyl padded deck
- Heavy gauge powder-coated steel frame
- 300 lbs. weight capacity
- 2-Year Limited Warranty



## ATD-81046 40" DROP ARM STEEL CREEPER WITH ADJUSTABLE HEAD REST

### Features:

- Heavy gauge powder-coated steel frame with radius knockouts for unrestricted arm movement
- Full 40" length heavy-vinyl padded deck and adjustable head rest
- 16-3/4" overall width
- (6) Industrial strength casters with 3" oil, chemical and grease resistant wheels
- Solid wheel design for added strength with rounded sides for easy movement
- 300 lbs. weight capacity
- 2-Year Limited Warranty

# CREEPERS • CREEPER SEATS



## ATD-81051 BLOW MOLDED HEAVY-DUTY CREEPER

### Features:

- Unrestricted arm movement
- (2) molded-in tool trays
- 1" ground clearance
- Material: High density polyethylene (HDPE)
- Overall size: 39-3/4" L x 4-1/4" H x 19" W
- Weight Capacity: Rated for up to 300 lbs.
- (6) multi-terrain, 3" swivel rubber casters that are industrial strength and oil, chemical and grease resistant with encapsulated ball bearings



## ATD-81060 X-LARGE BLOW MOLDED CREEPER

### Features:

- Unrestricted arm movement
- (2) molded-in trays
- (6) 4" x 1-1/2" swivel casters
- Comfortable headrest
- Overall size: 45" L x 6" H x 22-1/2" W
- Material: High density polyethylene (HDPE)
- Capacity: 400 lbs.



## ATD-81015 FOLDABLE CREEPER PAD

### Features:

- Made from heavy-duty EVA foam that is water, chemical and impact resistant
- Thick cushion design for comfort
- Great for working in the garage or outdoors
- End section folds to form headrest
- (4) cut-out compartments keep small parts within easy reach
- Folds for compact storage
- Built in convenient carrying handle
- Size (unfolded): 47.625" x 16.5" x 1.125"

## ATD-81009 MECHANIC'S PADDED CREEPER SEAT

### Features:

- Padded mechanic's creeper seat on wheels for easy mobility
- Features storage tray under seat for convenient tool & parts storage
- (4) Industrial strength casters with 2-1/2" oil, chemical and grease resistant wheels
- Solid wheel design for added strength with rounded sides for easy movement
- 250 lbs. weight capacity
- 2-Year Limited Warranty



## ATD-81010 HYDRAULIC CREEPER SEAT

### Features:

- Convenient lever for easy height adjustment from 16" to 21"
- Handy tray for tool & parts storage
- (5) Industrial strength casters with 2-1/2" oil, chemical and grease resistant wheels
- Solid wheel design for added strength with rounded sides for easy movement
- Heavy-vinyl padded seat
- 300 lbs. weight capacity
- 2-Year Limited Warranty



## ATD-81012 HYDRAULIC TRACTOR STYLE CREEPER SEAT

### Features:

- Tractor style padded cushion shop seat
- Convenient lever for easy height adjustment from 16" to 21"
- Solid wheel design for added strength with rounded sides for easy movement
- (5) Industrial strength casters with 2-1/2" oil, chemical and grease resistant wheels
- Round metal base with tray for tool & parts storage
- Seat dimensions: 18" W x 9.5" D
- 300 lbs. weight capacity
- Shipping Weight 22.4 lbs.
- 2-Year Limited Warranty



## ATD-81047 HEAVY-DUTY TOOLBOX CREEPER SEAT

### Features:

- Padded seat cushion for comfort
- Front and back tool trays
- Welded steel frame
- (4) 3" polyurethane, oil-resistant, full bearing casters for smooth movement
- 3-drawer toolbox with roller bearing slides

### Specifications:

- Weight Capacity: 450 lbs.
- Weight: 27 lbs.
- Storage Capacity: 650 cu. in.
- (3) Drawers: 12-3/4" W x 7-3/4" D x 2-3/8" H
- Overall Size: 18-1/4" H x 14-3/4" W x 18-3/4" D



## ATD-8524 3.5 GALLON BENCH TOP PARTS WASHER

### Features:

- cUL Approved 110V AC pump with 264 gal./hr. output
- Aqueous Based Solvent Capacity: 3.5 gal.
- Dimensions: 18" L x 13-3/8" W x 8-7/8" H
- For use with non-corrosive water based solvents
- Flexible spigot
- Seamless and round corner construction
- Tank Capacity: 5 gal.



## ATD-8520 NYLON PARTS CLEANING BRUSH

### Features:

- Polypropylene bristled brush for use in oil, gasoline, turpentine and other cleaning solvents
- 2-1/2" (64mm) bristles are chisel trimmed and mounted in seamless steel ferrule and securely fastened to 10" (254mm) durable plastic handle
- Individually skin packed

## ATD-8531 FLOW-THROUGH PARTS WASHER BRUSH

### Features:

- Fits all ATD parts washers & most other brands
- Extra long 26" hose
- Can be used with water or solvent-based cleaning solutions



## ATD-73030 30-TON PRESS BLOCK

### Features:

- Anti-slip style block - 9.8" x 4.4" x 1.5"
- Made of high strength A36 steel
- Tested to meet or exceed capacity requirements
- For use with presses up to 30-ton capacity



## ATD-73050 50-TON PRESS BLOCK

### Features:

- Anti-slip style block - 13.8" x 2" x 3.4"
- Made of high strength A36 steel
- Tested to meet or exceed capacity requirements
- For use with shop presses up to 50-ton capacity



## ATD-73075 75-TON V BLOCK

### Features:

- Anti-slip style block - 11.6" x 5.1" x 5.5"
- Made of high strength A36 steel
- Tested to meet or exceed capacity requirements
- For use with shop presses up to 75-ton capacity



## ATD-8525 20 GALLON CAPACITY PARTS WASHER

### Features:

- Flexible spigot
- Self draining
- Spring loaded lid with fire link
- cUL Approved 110V AC pump with 264 gal./hr. output
- Features removable work shelf and parts basket
- Tank Capacity: 20 gal.
- Tank Dimensions: 28" L x 19" W x 10-1/4" H
- Tank Weight Capacity: 110 lbs. (50 kgs)
- Work Shelf Weight Capacity: 44 lbs. (20 kgs)
- Overall Dimensions: 30-1/2" L x 21-1/4" W x 34-5/8" H
- Shipping Dimensions: 32" L x 23" W x 14-1/4" H
- For use with non-corrosive water based solvents



## ATD-8527 40 GALLON ELECTRIC PARTS WASHER

### Features:

- Spring loaded lid closure with fire link
- Flexible spigot
- Parts basket and shelf
- cUL Approved 110V AC pump with 264 gal./hr. output
- 16 gal. minimum aqueous based solvent required
- Overall Dimensions: 44-1/2" L x 21-1/4" W x 35" H
- Tank Dimensions: 44-1/2" L x 21-1/4" W x 10" D
- For use with non-corrosive water based solvents



## ATD-73100 100-TON V BLOCK

### Features:

- Anti-slip style block - 13.8" x 5.1" x 6.7"
- Made of high strength A36 steel
- Tested to meet or exceed capacity requirements
- For use with shop presses up to 100-ton capacity



## ATD-7376 7-PC. SHOP PRESS ACCESSORY KIT

### Features:

- (3) Punches - 1/2", 1" and 2"
- Precision machined cold-finished 1018 steel
- Yellow zinc plated for durability
- (2) Steel press plates - 14" x 3" x 1"
- Bearing shield
- Quick-change adapter
- For use with shop presses up to 50-ton capacity



## ATD-7378 9-PC. SHOP PRESS ACCESSORY KIT

### Features:

- (5) Punches - 1/2", 3/4", 1", 1-1/2" and 2"
- Precision machined cold-finished 1018 steel
- Yellow zinc plated for durability
- (2) Steel press plates - 14" x 3" x 1"
- Bearing shield
- Quick-change adapter
- For use with shop presses up to 50-ton capacity



# SHOP PRESSES




ATD-7453A



ATD-7454B



ATD-7455A



ATD-7456



ATD-7457



ATD-7458



ATD-7463

## SHOP PRESSES

### Features:

- Ideal for the removal or installation of gears, bearings, universal joints, pulleys, wrist pins and other various press jobs (7453A, 7454B, 7455A)
- Multi-position bed for work height adjustment (7453A, 7454B, 7455)
- Includes protective work guard for added safety (7456, 7457, 7458, 7463)
- Patented safety valve for longer service life
- Includes a set of non-slip steel blocks for safer operation (7456, 7457, 7458, 7463)
- Meets or exceeds ASME/PASE 2019 standards



Number	Description	Capacity	Hydraulic Stroke	Working Range	Bed Width	Bed Positions	Press Size
ATD-7453A	12-Ton Hydraulic Shop Press with Bottle Jack	12 Tons	5.1"	0" to 24.8"	3"	7	20.47"W x 19.69"D x 51.8" H
ATD-7454B	20-Ton Hydraulic Shop Press with Bottle Jack	20 Tons	6.69"	2.76" to 34.45"	3.94"	8	27.56"W x 27.56"D x 64.57" H
ATD-7455A	25-Ton Shop Press with Hand Pump	25 Tons	7.88"	1" to 38.8"	4"	8	27.38"W x 27.56"D x 70.38" H
ATD-7456	30-Ton Shop Press with Safety Guard	30 Tons	6.75"	2" to 40.6"	18.13"	8	30.6"W x 27.56"D x 76.13" H
ATD-7457	50-Ton Shop Press with Safety Guard	50 Tons	7.5"	8.3" to 44.5"	32.5"	6	43.5"W (56.7" w/ pump & winch) x 31.5"D x 67.2" H
ATD-7458	75-Ton Shop Press with Safety Guard	75 Tons	9.88"	6.63" to 34.75"	31.5"	8	51.2"W x 31.5"D x 74.63" H
ATD-7463	100-Ton Shop Press with Safety Guard	100 Tons	11.75"	4.38" to 32"	31"	6	57.8"W x 39"D x 72.75" H

## ATD-8400 BENCH TOP STEEL BLAST CABINET

### Features:

- Large 21" x 17" transparent top opening for easy loading and viewing
- Large work area accommodates most parts
- Includes sealed gloves and blast gun, and is equipped with a work light
- For use with glass beads, silica sand and aluminum oxide
- Requires shop air compressor delivery of 100 psi @ 5 CFM for optimal performance

### Specifications:


- Work Area: 22" W x 18" D x 11" H
- Overall Size: 26" W x 19" D x 19" H
- 5.75" diameter gloves
- Shipping Weight: 40 lbs



## ATD-8401 40 LBS. PRESSURE BLASTER

### Features:

- Pressurized design offers 30% more abrasive blasting power than siphon units
- Recommended: steel grit, glass bead, aluminum oxide
- Deadman control valve
- Heavy-duty, all-steel construction blast pot
- Includes 8 ft. hose, shut-off valve, pressure gauge, filling tunnel, water trap and canvas hood
- Includes (4) interchangeable ceramic nozzles: 2.0, 2.5, 3.0 & 3.5mm
- Requires 6-25 CFM air supply and 60-125 psi working pressure for optimal performance
- Suitable for 40 lbs. of 60 to 100 grit abrasive
- 11.5" W x 19" D x 33" H



## ATD-8402 90 LBS. PRESSURE BLASTER

### Features:

- Pressurized design offers 30% more abrasive blasting power than siphon units
- Recommended: steel grit, glass bead, aluminum oxide
- Deadman control valve
- Heavy-duty, all-steel construction blast pot
- Includes 8 ft. hose, shut-off valve, pressure gauge, filling tunnel, water trap and canvas hood
- Includes (4) interchangeable] nozzles: 2.0, 2.5, 3.0 & 3.5mm
- Requires 6-25 CFM air supply and 60-125 psi working pressure for optimal performance
- Suitable for 90 lbs. of 60 to 100 grit abrasive
- 13" W x 15" D x 29.5" H



## ATD-8405 GLASS BEAD ABRASIVE FOR BLAST CABINETS

### Features:

- 80-grit spherical glass beads
- High quality, special purpose abrasive
- Light, dust-free material
- Exceptional performance
- Great for cleaning, etching and surface preparation
- Gives professional results
- Weight: 50 lbs.



## ATD-70360 1,200 LBS. HEAVY-DUTY WORKBENCH

### Features:

- Powder-coated heavy-duty 14-gauge steel construction
- Raised lip around table top edge contains loose parts
- Includes full-length bottom shelf for additional storage
- Adjustable foot pads for placement on slightly uneven surfaces

### Specifications:

- Dimensions: 60" W x 36" H x 31" D
- Shipping Weight: 151 lbs.
- Capacity: 1,200 lbs.

## ATD-70325A HEAVY-DUTY TEAR DOWN TABLE

### Features:

- Heavy-duty tear-down table with all steel construction will support 1000 lbs. (454kg) total weight
- Reinforced steel top with a 1/2" lip on all slides
- Offset drain for fluid containment in the removable 3-gallon drain pan
- Lockable storage drawer
- 4" swivel casters allow easy movement within the shop
- (2) locking swivel casters for keeping your table in place

### Specifications:

- Bench Size: 48" W x 31-1/2" D x 33-3/4" H
- Weight Capacity: 1,000 lbs.
- Shipping Weight: 145 lbs.





## ATD-9305 5" PROFESSIONAL SHOP VISE

### Features:

- Swivel locking base to better position your work
- Replaceable heat-treated steel jaw caps and square threads
- Extra large back jaw anvil and anvil horn
- Rugged steel front jaw beam for years of dependable service
- Base swivels 360 degrees

### Specifications:

- Max. Jaw Opening: 5-1/2" • Throat Depth: 3"
- Jaw Width: 5" • Shipping Weight: 43 lbs.



## ATD-9306 6" PROFESSIONAL SHOP VISE

### Features:

- Swivel locking base to better position your work
- Replaceable heat-treated steel jaw caps and square threads
- Extra large back jaw anvil and anvil horn
- Rugged steel front jaw beam for years of dependable service
- Base swivels 360 degrees

### Specifications:

- Max. Jaw Opening: 7" • Throat Depth: 3-7/16"
- Jaw Width: 6" • Shipping Weight: 56 lbs.

## ATD-9316 6" PROFESSIONAL SHOP VISE

### Features:

- Professional grade for years of dependable service
- Cast iron body with forged steel beam provides added strength
- Replaceable hardened steel serrated jaws
- Large incorporated anvil work surface
- 210° swivel base with position lock

### Specifications:

- 6.50" jaw width • 1/4" - 3" pipe capacity
- 6" jaw opening • Weight: 39.6 lbs.
- 3.8" throat depth



## ATD-40300 300 CFM PRO AIR BLOWER

### Features:

- Great for larger jobs and open workspaces
- Moves air up to 300 CFM
- Built-in overload protection
- (2) grounded convenience outlets with over current protection for simultaneous use with other power tools & accessories
- 4-position adjustment for concentrated air flow and fast drying
- Built-in carrying handle and cord wrap for easy mobility
- For indoor / outdoor use

### Specifications:

- Air Movement: 300 CFM
- Rated Power: 1.0 Amp
- 3 speed switch (high, medium, low)
- Power Cord: 8.5 ft. cord length, SJTW 14AWG
- Power Outlet: (2) 11 Amp built-in grounded receptacles, with overload protection
- Housing Material: Impact Resistant ABS
- Rotational Speed (RPM): 1400, 1500, 1600
- Power Supply: 120 Volts, 60 Hz
- Unit Weight: 11.5 lbs.



## ATD-41200 1200 CFM PRO AIR BLOWER

### Features:

- Great for larger jobs & open workspaces
- Moves air up to 1,200 CFM
- Built-in overload protection
- (2) grounded convenience outlets with over current protection for simultaneous use with other power tools and accessories
- 4-position adjustment for concentrated air flow and fast drying
- Built-in carrying handle and cord wrap for easy mobility
- For indoor / outdoor use

### Specifications:

- Air Movement: 1200 CFM
- Rated Power: 2.0 Amp
- 3 speed switch (high, medium, low)
- Power Cord: 8.5 ft. cord length, SJTW 14AWG
- Power Outlet: (2) 11 Amp built-in grounded receptacles, with overload protection
- Housing Material: Impact Resistant ABS
- Rotational Speed (RPM): 1400, 1500, 1600
- Power Supply: 120 Volts, 60 Hz
- Unit Weight: 15.9 lbs



## ATD-40302 HEATER ATTACHMENT FOR 300 CFM BLOWER

### Features:

- Converts ATD-40300 300 CFM blower into a lightweight portable heater
- Clips securely onto the front of the blower and plugs into one of the outlets on the side of the Blower
- Fits past and current 300 CFM ATD Blowers

### Specifications:

- 1320 Watts, 120 Volts
- 16AWG SJT cord, grounded plug
- 11 Amps, 5000 BTU



## ATD-30312 12" RECHARGEABLE DRUM FAN

### Features:

- Fan operates with plug-in AC to DC adapter (included), or cordless using built-in rechargeable lithium-ion battery
- Variable speed dial control allows for different speeds
- Powder-coated adjustable tilt angle fan drum and base
- LED battery capacity indicator
- Includes built-in USB power port for charging your cell phone, laptop, or other mobile devices
- Carrying handle for easy transportation

### Specifications:

- 24V DC/30W
- 24V 2,600mAh lithium-ion rechargeable battery
- 1/25 Hp Motor
- High 775 CFM, Low 136 CFM
- Run Time: 30 hours on low / 5 hours on high



- Charging Time: 4 hours fully charged
- cETL listed
- Dimensions: 16.1" L x 7.3" W x 14.1" H
- Item Weight: 5.51 lbs.

## ATD-30320A HIGH VELOCITY 20" FLOOR FAN

### Features:

- Three speed energy efficient motor
- Balanced aluminum 3-blade design provides even airflow and quiet operation
- 360° tilt feature lets user direct cooling where it is most needed
- Automatic shut-off feature prevents overheating
- Durable black powder coating finish
- 5.4 ft. grounded cord

### Specifications:

- 120V / 60Hz / 130W
- 1/8 Hp Motor
- Up to 4,650 CFM
- cETL listed
- Dimensions: 23" L x 10.6" W x 23" H
- Weight: 13 lbs.



## ATD-30331A 30" WALL MOUNT FAN

### Features:

- Two speed energy efficient motor
- Balanced aluminum 3-blade design provides even airflow and quiet operation
- Automatic shut-off feature prevents overheating
- Durable black powder coating finish
- 5.4 ft. grounded cord

### Specifications:

- 120V / 60Hz / 210W
- 1/6 Hp Motor
- Up to 7,497 CFM
- cETL listed
- Size: 29" L x 14" W x 29" H




## ATD-30334A 30" OSCILLATING WALL MOUNT FAN

### Features:

- Two speed energy efficient motor
- Balanced aluminum 3-blade design provides even airflow and quiet operation
- Automatic shut-off feature prevents overheating
- Durable black powder coating finish
- 5.4 ft. grounded cord

### Specifications:

- 120V / 60Hz / 210W
- 1/6 Hp Motor
- Up to 7,497 CFM
- cETL listed
- Size: 29" L x 14" W x 29" H
- Shipping Weight: 34.39 lbs



## ATD-30330A 30" PEDESTAL FAN

### Features:

- Three speed energy efficient motor with overheating protection
- Balanced aluminum 3-blade design provides even airflow and quiet operation
- (4) wheels on base for increased mobility
- Tubular steel stand with round base needs only limited floor space
- Automatic shut-off feature prevents overheating
- Easy height adjustment up to 75"
- Durable black powder coating finish
- 6 ft. grounded cord

### Specifications:

- 120V / 60Hz / 210W
- 1/6 Hp Motor
- Up to 7,497 CFM
- cETL listed
- Dimensions: 32" L x 28" W x 79" H



## ATD-30338 30" OSCILLATING PEDESTAL FAN

### Features:

- Three-speed energy-efficient motor with overheating protection
- The balanced aluminum 3-blade design provides even airflow and quiet operation
- (4) wheels on the base for increased mobility
- Tubular steel stand with round base needs only limited floor space
- The automatic shut-off feature prevents overheating
- Easy height adjustment up to 75"
- Durable black powder coating finish
- 6 ft. grounded cord

### Specifications:

- 120V / 60Hz / 210W
- 1/6 Hp Motor
- Up to 7,497 CFM
- cETL listed
- Size: 32" L x 28" W x 79" H



# SHOP FANS • ASSORTMENTS

## ATD-30324A 24" TILTING DRUM FAN

### Features:

- Three speed energy efficient motor
- Balanced aluminum 3-blade design provides even airflow and quiet operation
- Automatic shut-off feature prevents overheating
- Tilting feature lets user direct cooling where it is most needed
- Convenient handles and durable rubber wheels for increased mobility
- Durable black powder coating finish
- 5.4 ft. grounded cord



### Specifications:

- 120V / 60Hz / 230W
- cETL listed
- 1/6 Hp Motor
- Dimensions: 29" L x 11" W x 30" H
- Up to 6,937 CFM

## ATD-30336A 36" DIRECT DRIVE DRUM FAN

### Features:

- Powerful two-speed direct drive motor provides even airflow
- Convenient handles and durable rubber wheels provide added portability
- Balanced aluminum 3-blade design provides even airflow and quiet operation
- Automatic shut-off feature prevents overheating
- Durable black powder coating finish
- 8 ft. grounded cord



### Specifications:

- 120V / 60Hz / 487W
- Up to 12,000 CFM
- Size: 38" L x 12" W x 40" H
- 1/2 Hp Motor
- cETL listed
- Shipping weight: 59.97 lbs

## ATD-30342A 42" BELT DRIVE DRUM FAN

### Features:

- Powerful two-speed belt driven motor provides even airflow
- Convenient handles and durable 8" rubber wheels provide added portability
- Balanced aluminum 4-blade design provides even airflow and quiet operation
- Automatic shut-off feature prevents overheating
- Durable black powder coating finish
- 8 ft. grounded cord



### Specifications:

- 120V / 60Hz / 510W
- cETL listed
- 5/8 Hp Motor
- Size: 44" L x 14" W x 45" H
- Up to 17,850 CFM

## ATD-30348 48" BELT DRIVE DRUM FAN

### Features:

- Balanced aluminum 4-blade design provides even airflow and quiet operation
- 8" durable rubber wheels provide added mobility
- Energy efficient two-speed belt drive motor
- Rocker switch
- Durable black powder coating finish
- 5 ft. grounded cord
- One-Year Limited Warranty



### Specifications:

- 120V / 60Hz / 600W
- cETL listed
- 4/5 Hp Motor
- Dimensions: 20.8" L x 50.4" W x 51" H
- Up to 21,100 CFM

## ATD-387 350-PC. HNBR O-RING ASSORTMENT

### Features:

- Highly saturated nitrile butyl rubber works with R12, 134a and R1234yf
- Molded storage case included



### Includes:

- (5) 4.5 x 1.5
- (10) 4.48 x 1.78
- (10) 6 x 2.5
- (10) 6.07 x 1.78
- (10) 6.5 x 2
- (10) 7 x 1.5
- (10) 7.2 x 1.78
- (10) 7.66 x 1.78
- (5) 8 x 2
- (10) 9.19 x 2.62
- (20) 9.25 x 1.78
- (10) 9.8 x 1.9
- (5) 10 x 1.9
- (10) 10 x 2.5
- (10) 10.77 x 2.62
- (20) 10.82 x 1.78
- (10) 11.11 x 2.38
- (10) 12 x 2
- (10) 12 x 2.5
- (10) 12.37 x 2.62
- (5) 12.42 x 1.78
- (10) 12.7 x 1.58
- (5) 13 x 2
- (20) 13.9 x 1.8
- (10) 13.95 x 2.62
- (5) 14.28 x 2.38
- (5) 14.8 x 2.4
- (10) 15.6 x 1.78
- (5) 15.8 x 2.62
- (20) 17.17 x 1.78
- (15) 11 x 2
- (15) 12 x 2
- (10) 13.9 x 1.8
- (10) 14 x 2
- (10) 15 x 2
- (10) 17 x 2
- (10) 11/16" x 1/16"
- (15) 11 x 2
- (15) 12 x 2
- (10) 13.9 x 1.8
- (10) 14 x 2
- (10) 15 x 2
- (10) 17 x 2
- (10) 9/16" x 3/32"
- (10) 11/16" x 1/16"
- (10) 11/16" x 1/8"

## ATD-356 270-PC. HNBR O-RING ASSORTMENT

### Features:

- Highly saturated nitrile butyl rubber works with R12, 134a and R1234yf
- Molded storage case included



### Includes:

- (20) 7/32" x 1/16"
- (20) 1/4" x 1/16"
- (20) 6.8 x 1.9
- (20) 5/16" x 1/16"
- (20) 7.8 x 1.9
- (20) 8 x 2
- (20) 8.8 x 1.9
- (15) 7/16" x 1/16"
- (15) 7/16" x 3/32"
- (15) 11 x 2
- (15) 12 x 2
- (10) 13.9 x 1.8
- (10) 14 x 2
- (10) 15 x 2
- (10) 17 x 2
- (10) 11/16" x 1/16"
- (10) 11/16" x 1/8"

## ATD-341 300-PC. 1/4" ALUMINUM BLIND RIVET ASSORTMENT

### Features:

- Dome head rivets can be installed without access to the back side of the item being riveted
- High quality aluminum material provides strength and durability
- Use with ATD or other manual or air operated rivet guns

### Includes:

- (100) 1/4" x 1/4" • (100) 1/4" x 1/2"
- (100) 1/4" x 3/8"



## ATD-346 500-PC. ALUMINUM BLIND RIVET ASSORTMENT

### Features:

- Dome head rivets can be installed without access to the back side of the item being riveted
- High quality aluminum rivet with steel mandrel provides strength and durability
- Use with ATD or other manual or air operated rivet guns

### Includes:

- (120) 1/8" x 1/4" • (70) 3/16" x 5/16"
- (120) 1/8" x 5/16" • (70) 3/16" x 3/8"
- (120) 1/8" x 3/8"



## ATD-337 150-PC. RIVET NUT ASSORTMENT

### Features:

- Galvanized Steel Rivets

### Includes:

- (30) M5x13mm Rivet Nuts • (30) 10-24 Rivet Nuts
- (25) M6x15mm Rivet Nuts • (25) 1/4"-20 Rivet Nuts
- (20) M8x18mm Rivet Nuts • (20) 5/16"-18 Rivet Nuts



## ATD-39360 120-PC. MASTER HEX NUT, U-NUT & BODY BOLT ASSORTMENT

### Includes:

- (5) Metric Dog Point Body Bolt 19mm
- (5) Metric Dog Point Body Bolt 19mm
- (5) Metric Dog Point Body Bolt 3/4"
- (5) Metric Hex Flange Nut Black 11.8mm
- (5) Metric Type CA Body Bolt 17mm
- (5) Metric Type CA Flange Bolt 13mm
- (5) Metric Type CA Body Bolt 24mm
- (5) Metric Type CA Body Bolt 17mm
- (5) Metric Type CA Body Bolt 17mm
- (5) Extruded U-Nut Black
- (5) Extruded U-Nut Black
- (5) Metric Hex Nut Black 16mm OD
- (5) Metric Type CA Body Bolt 24mm
- (5) Metric Type CA Body Bolt 17mm
- (5) Sheet Metal Screws Black 17mm
- (5) Sheet Metal Screws Black 11/16"
- (5) Metric Type CA Body Bolt 28mm
- (15) Extruded U-Nut Black
- (5) Metric Hex Nut Black 24mm OD
- (5) Metric Type CA Body Bolt 28mm
- (5) Metric Hex Flange Nut Black 21mm
- (5) Metric Type CA Body Bolt 16mm
- Molded storage case included



## ATD-334 115-PC. RIVET NUT ASSORTMENT

### Features:

- Zinc Plated Steel Rivets

### Includes:

- (20) M4 Rivet Nuts • (10) M10 Rivet Nuts
- (20) M5 Rivet Nuts • (20) 1/4" Rivet Nuts
- (10) M6 Rivet Nuts • (15) 5/16" Rivet Nuts
- (10) M8 Rivet Nuts • (10) 3/8" Rivet Nuts



## ATD-391 90-PC. BRAKE BLEEDER SCREW ASSORTMENT

### Features:

- Variety of sizes for most popular applications
- Perfect for damaged or lost bleeder screw replacement
- Manufactured to strict quality standards

### Includes:

- (5) 1/4"-28 x .92" • (5) M8 x 1.00-37.3mm
- (5) 5/16"-24 x 1.01" • (5) M8 x 1.25-25.2mm
- (5) 3/8"-24 x 1.19" • (5) M8 x 1.25-31.6mm
- (5) 3/8"-24 x 1.51" • (5) M10 x 1.00-27.5mm
- (5) 7/16"-20 x 1.28" • (5) M10 x 1.00-32.75mm
- (5) 7/16"-24 x 1.76" • (5) M10 x 1.00-35.2mm
- (5) 7/16"-24 Inverted • (5) M10 x 1.00-36.7mm
- (5) M7 x 1.00-34mm • (5) M10 x 1.25-33.1mm
- (5) M8 x 1.00-26.4mm • (5) M10 x 1.50-29.3mm



## ATD-39359 185-PC. MASTER UNIVERSAL TRIM SCREW ASSORTMENT

### Includes:

- (5) Phillips Oval Head Wheel Opening
- (5) Phillips Oval Screw Black
- (10) Phillips Oval Washer Head
- (5) Indented Hex Head Tek Screw
- (10) Phillips Oval Head Sheet Metal Screw
- (10) Phillips Pan Head Sheet Metal Screw-Black
- (10) Phillips Pan Head Sheet Metal Screw-Black
- (5) Met Torx Trim Screws-GM
- (5) Met Torx Trim Screws-GM
- (5) Met Torx Trim Screws-GM
- (10) Tek Screw 12mm OD Loose Washer
- (10) Phillips Flat Top Washer Head-GM
- (10) Phillips Flat Top Washer Head
- (10) Phillips Black Trim Screw
- (10) Phillips Flat Top Washer Head
- (5) Indented Hex Head Tek Screw
- (5) Lic Plate Screw Black Zinc 1/2" Washer
- Molded storage case included



# ASSORTMENTS

## ATD-39361 95-PC. BRAKE LINE FITTINGS ASSORTMENT

**Includes:**

- (5) Tube Nut - 3/16" - 3/8 - Inv
- (5) Tube Nut - 3/16" Long - 3/8 Inv
- (5) Tube Nut - 1/4" - 7/16 - Inv
- (5) Tube Nut - 1/4" Long - 7/16 Inv
- (5) Tube Nut (Japanese) M10 - Inv
- (5) Tube Nut (Euro) M10 - Bub
- (5) Tube Nut (Brit) 3/8 - Bub
- (5) Union 3/16 x 3/8 Inv
- (5) Union 1/4" x 7/16"
- (5) Union 3/16 x 3/8-24 Bub
- (5) Union 3/16 x M10 x 1.0 Bub
- (5) Union 3/16 x M10 x 1.0 Inv
- (5) Adapter - 3/8 Inv x 3/8 Bub
- (5) Adapter - 3/8 Inv x M10 Bub
- (5) Adapter - 3/8 Inv x 7/16 Inv
- (5) Adapter - 7/16 Inv x 1/2 Inv
- (5) Adapter - 7/16 Inv x 9/16 Inv
- (5) Adapter - 3/8 Inv x 1/2 Inv
- (5) Adapter - 3/8 Inv x 9/16 Inv
- Molded storage case included



## ATD-364 120-PC. ATC CAR FUSE ASSORTMENT

**Includes:**

- (20) 5A
- (20) 25A
- (20) 20A
- (20) 15A
- (20) 10A
- (20) 30A
- Molded storage case included
- Shipping Weight: 0.6 lbs.



## ATD-386 50-PC. 2-BLADE MAX FUSE ASSORTMENT

**Includes:**

- (10) 20A
- (10) 40A
- (10) 50A
- Molded storage case included
- (10) 30A
- Shipping Weight: 0.8 lbs.
- (10) 60A



## ATD-392 LOW-PROFILE ATM FUSE ASSORTMENT

**Includes:**

- (10) 7.5 Amp
- (20) 20 Amp
- (20) 10 Amp
- (20) 25 Amp
- (20) 15 Amp
- (10) 30 Amp



## ATD-339 71-PC. 2-BLADE MICRO FUSE ASSORTMENT

**Features:**

- Zinc Alloy Electrodes

**Includes:**

- (10) 5A - Orange
- (10) 20A - Yellow
- (10) 7.5A - Brown
- (10) 25A - Clear
- (10) 10A - Red
- (10) 30A - Green
- (10) 15A - Blue
- Fuse Puller



## ATD-335 20-PC. 3-BLADE MICRO FUSE ASSORTMENT

**Features:**

- Zinc Alloy Electrodes

**Includes:**

- (5) 5A - Tan
- (5) 7.5A - Brown
- (5) 10A - Red
- (5) 15A - Blue



## ATD-382 100-PC. MINI CAR FUSE ASSORTMENT

**Includes:**

- (10) 5A
- (20) 25A
- (20) 20A
- (20) 15A
- (20) 10A
- (10) 30A
- Molded storage case included
- Shipping Weight: 0.1 lbs.



## ATD-355 360-PC. TERMINAL ASSORTMENT

**Includes:**

- (30) 10-32 ring/16-14 Ga.
- (30) butt connector/22-16 Ga.
- (30) butt connector/16-14 Ga.
- (30) 10 spade/16-14 Ga.
- (25) bullet/16-14 Ga.
- (25) male/18-14 Ga.
- (25) female/18-14 Ga.
- (20) 10-32 ring/10-12 Ga.
- (20) 10 spade/10-12 Ga.
- (20) 3/8" ring/16-14 Ga.
- (20) 1/4" ring/16-14 Ga.
- (15) 3/8" ring/10-12 Ga.
- (15) 1/4" ring/10-12 Ga.
- (15) butt connector/10-12 Ga.
- (10) 2-way line connector
- (10) male/18-14 Ga.
- (10) female/18-14 Ga.
- (10) female bullet/16-14 Ga.
- Molded storage case included
- Shipping Weight: 1.0 lbs.



## ATD-383 75-PC. HEAT SHRINKABLE TERMINAL ASSORTMENT

**Includes:**

- (10) 16-14 Ga. 10-32 ring
- (10) 16-14 Ga. 1/4" ring
- (5) 10-12 Ga. 3/8" ring
- (5) 10-12 Ga. 10-32 ring
- (5) 10-12 Ga. 1/4" ring
- (10) 16-14 Ga. 10 spade
- (5) 22-18 Ga. butt connector
- (5) 16-14 Ga. butt connector
- (5) 10-12 Ga. butt connector
- (5) 18-14 Ga. female
- (5) 10-12 Ga. 10 spade
- (5) 18-14 Ga. male
- Molded storage case included



## ATD-393 235-PC. HEAT SHRINK TUBE ASSORTMENT

### Features:

- 6" sections of 8 different diameter tubes to ensure you have the right size tube for the job
- Tubes shrink to fit over cable splices & can be used for wire harnessing, covering, marking & bundling of wires
- Use for auto, marine, plane, home, industrial, computer, etc.
- 2:1 shrink ratio

### Includes:

- 3/32" (Qty: 40)
- 3/8" (Qty: 10)
- 1/8" (Qty: 55)
- 1/2" (Qty: 10)
- 3/16" (Qty: 55)
- 5/8" (Qty: 5)
- 1/4" (Qty: 55)
- 3/4" (Qty: 5)



## ATD-385 76-PC. DRAIN PLUG ASSORTMENT

### Includes:

- (5) Universal 1/2" single oversize
- (5) Universal 1/2" double oversize
- (5) Universal 1/2" triple oversize
- (5) 14mm x 1.50 - GM, Ford
- (5) Universal 1/2" double oversize piggyback
- (10) 1/2" standard - Early GM, Ford, Chrysler
- (5) 1/2" standard dog point - GM, Chrysler
- (5) 12mm x 1.25 - Ford, Infiniti, Lexus, Nissan
- (5) 12mm x 1.75 - GM
- (5) Universal 1/2" single oversize piggyback
- (3) 12mm x 1.75 - Saturn
- (3) 14mm x 1.50 dichromate - GM, Chrysler, Honda, Mazda
- (3) 18mm x 1.50 - Chrysler, Toyota
- (3) 20mm x 1.50 - Honda, Chrysler
- (3) 14mm x 1.50 dog point - Ford
- (3) 14mm x 1.25 dog point - Chrysler, Jeep
- (3) 12mm x 1.75 - GM
- Molded storage case included



## ATD-394 115-PC. DUAL WALL HEAT SHRINK TUBE ASSORTMENT

### Features:

- 3:1 Shrink ratio polyethylene tube with adhesive liner
- Provides tight, moisture proof bond over wires, cables, connectors, splices and terminals
- Flame retardant with operating temperatures of -67 degrees F to 230 degrees F
- UL approved

### Includes:

- (25) 1/8" Diameter x 3" Long (13 black/12 red)
- (25) 3/16" Diameter x 3" Long (13 black/12 red)
- (25) 1/4" Diameter x 3" Long (13 black/12 red)
- (15) 3/8" Diameter x 3" Long (8 black/7 red)
- (10) 1/2" Diameter x 3" Long (5 black/5 red)
- (5) 5/8" Diameter x 3" Long (3 black/2 red)
- (5) 3/4" Diameter x 3" Long (3 black/2 red)
- (5) 1" Diameter x 3" Long (3 black/2 red)



## ATD-389 120-PC. OIL DRAIN PLUG GASKET ASSORTMENT

### Features:

- Replaces worn out drain plug gaskets to stop annoying leaks
- Covers most domestic and import cars and light duty trucks
- OEM recommends replacing with every oil change

### Includes:

- (5) 1/2"/12mm Rubber/Metal
- (5) 9/16" Rubber/Metal
- (5) 1/2"/12mm Nylon
- (5) 12mm Nylon
- (5) 1/2"/12mm Nylon (Large)
- (5) 9/16" Nylon
- (5) 14mm Nylon
- (5) 5/8" Nylon
- (5) 11/16" Nylon
- (5) 3/4"/18mm Nylon
- (5) 7/8"/22mm Nylon
- (5) 1/2" Fiber
- (5) 9/16" Fiber
- (5) 12mm Fiber
- (5) 18mm Fiber
- (5) 20mm Fiber
- (5) 1/2"/12mm Copper
- (5) 9/16" Copper
- (5) 5/8"/16mm Copper
- (5) 3/4" Copper
- (5) 1/2" Copper Crush
- (5) 14.5mm Aluminum
- (5) 12mm Rubber Rib
- (5) 14mm Rubber Rib



## ATD-374 110-PC. METRIC GREASE FITTING ASSORTMENT

### Includes:

- (30) Straight 6mm Grease Zerk Fitting
- (20) 90° 6mm Grease Zerk Fitting
- (20) Straight 8mm Grease Zerk Fitting
- (10) 90° 8mm Grease Zerk Fitting
- (20) Straight 10mm Grease Zerk Fitting
- (10) 90° 10mm Grease Zerk Fitting
- Molded storage case included



## ATD-349 200-PC. HEX WASHER HEAD SELF-DRILLING SCREW ASSORTMENT

### Includes:

- (30) #8 x 3/4"
- (30) #8 x 1"
- (30) #8 x 1/2"
- (30) #8 x 5/8"
- (20) #10 x 3/4"
- (20) #10 x 1"
- (20) #10 x 1/2"
- (20) #10 x 5/8"
- Made from #45 carbon steel
- Molded storage case included



## ATD-357 110-PC. SAE HYDRAULIC GREASE FITTING ASSORTMENT

### Includes:

- (30) Straight 1/4"-28 Grease Zerk Fitting
- (20) Straight 1/8" NPT Grease Zerk Fitting
- (15) 45° 1/4"-28 Grease Zerk Fitting
- (15) 90° 1/4"-28 Grease Zerk Fitting
- (15) 90° 1/8" NPT Grease Zerk Fitting
- (15) 45° 1/8" NPT Grease Zerk Fitting
- Molded storage case included



## ATD-381 200-PC. SOCKET SET SCREW ASSORTMENT

### Includes:

- (10) 5/32" x 3/16"
- (10) 3/8" x 3/8" Fine
- (20) 5/16" x 3/8" Fine
- (30) 5/16" x 3/8"
- (10) 3/8" x 3/8"
- (20) 5/16" x 1/2"
- (10) 1/8" x 3/16"
- (10) 3/16" x 1/4"
- (20) 1/4" x 1/4" Fine
- (30) 1/4" x 1/4"
- (10) 3/8" x 1/2"
- (20) 1/4" x 3/8"
- Molded storage case included



## ATD-362 125-PC. RUBBER GROMMET ASSORTMENT

### Includes:

- (15) EWG-1 - 1/8" x 9/32"
- (10) EWG-6 - 3/16" x 5/16"
- (7) EWG-13 - 1/4" x 1/2"
- (3) EWG-21 - 5/16" x 17/32"
- (6) EWG-26 - 3/8" x 1/2"
- (5) EWG-27 - 3/8" x 9/16"
- (3) EWG-31 - 3/8" x 3/4"
- (3) EWG-34 - 7/16" x 3/4"
- (4) EWG-36 - 1/2" x 21/32"
- (3) EWG-44 - 5/8" x 1"
- (2) EWG-45 - 3/4" x 15/16"
- (20) RBG-1 - 5/16"
- (20) RBG-2 - 3/8"
- (10) RBG-3 - 1/2"
- (5) RBG-4 - 5/8"
- (4) RBG-5 - 3/4"
- (3) RBG-6 - 7/8"
- (2) RBG-7 - 1"
- Molded storage case included



## ATD-350 555-PC. COTTER PIN ASSORTMENT

### Includes:

- (150) 1/16" x 1"
- (150) 3/32" x 1"
- (100) 3/32" x 1-1/2"
- (75) 1/8" x 1-1/4"
- (50) 1/8" x 2"
- (30) 5/32" x 2-1/2"
- Molded storage case included



## ATD-3601 419-PC. METRIC UNIVERSAL O-RING ASSORTMENT

### Features:

- Molded storage case included
- Inside diameters from 3mm-50mm
- Not for use with gasoline

### Includes:

- (20) - 3mm x 6mm x 1.5mm
- (23) - 7mm x 10mm x 1.5mm
- (23) - 10mm x 13mm x 1.5mm
- (23) - 13mm x 16mm x 1.5mm
- (20) - 4.4mm x 8.4mm x 2mm
- (18) - 5mm x 9mm x 2mm
- (14) - 10mm x 15mm x 2.5mm
- (13) - 11mm x 16mm x 2.5mm
- (14) - 13mm x 18mm x 2.5mm
- (13) - 14mm x 19mm x 2.5mm
- (14) - 16mm x 21mm x 2.5mm
- (14) - 18mm x 23mm x 2.5mm
- (13) - 19mm x 24mm x 2.5mm
- (14) - 21mm x 26mm x 2.5mm
- (13) - 22mm x 27mm x 2.5mm
- (10) - 18mm x 25mm x 3.5mm
- (10) - 20mm x 27mm x 3.5mm
- (10) - 23.5mm x 30.5mm x 3.5mm
- (10) - 22mm x 29mm x 3.5mm
- (10) - 25mm x 32mm x 3.5mm
- (10) - 26.5mm x 33.5mm x 3.5mm
- (10) - 28mm x 35mm x 3.5mm
- (10) - 30mm x 37mm x 3.5mm
- (10) - 31mm x 38mm x 3.5mm
- (10) - 33mm x 40mm x 3.5mm
- (10) - 34.5mm x 41.5mm x 3.5mm
- (10) - 36mm x 43mm x 3.5mm
- (10) - 38mm x 45mm x 3.5mm
- (10) - 41mm x 48mm x 3.5mm
- (10) - 44mm x 51mm x 3.5mm
- (10) - 47mm x 54mm x 3.5mm
- (10) - 50mm x 57mm x 3.5mm



## ATD-363 144-PC. LARGE COTTER PIN ASSORTMENT

### Includes:

- (50) 1/8" x 2"
- (30) 5/32" x 2-1/2"
- (20) 3/16" x 3"
- (20) 1/4" x 2"
- (16) 1/4" x 3"
- (8) 5/16" x 2-1/2"
- Molded storage case included



## ATD-351 300-PC. E-CLIP ASSORTMENT

### Includes:

- (30) 1/16"
- (30) 1/8"
- (40) 3/16"
- (50) 1/4"
- (50) 3/8"
- (40) 1/2"
- (20) 5/8"
- (20) 3/4"
- (20) 7/8"
- Molded storage case included



## ATD-3600 407-PC. SAE UNIVERSAL O-RING ASSORTMENT

### Features:

- Molded storage case included
- Inside diameters from 1/8" - 2-1/4"
- Not for use with gasoline

### Includes:

- (20) - 1/8" x 1/4" x 1/16"
- (20) - 3/16" x 5/16" x 1/16"
- (20) - 1/4" x 3/8" x 1/16"
- (20) - 5/16" x 7/16" x 1/16"
- (20) - 3/8" x 1/2" x 1/16"
- (20) - 1/2" x 5/8" x 1/16"
- (13) - 3/8" x 9/16" x 3/32"
- (13) - 7/16" x 5/8" x 3/32"
- (13) - 1/2" x 11/16" x 3/32"
- (13) - 9/16" x 5/8" x 3/32"
- (13) - 5/8" x 13/16" x 3/32"
- (13) - 11/16" x 7/8" x 3/32"
- (13) - 3/4" x 15/16" x 3/32"
- (13) - 13/16" x 1" x 3/32"
- (13) - 7/8" x 1-1/16" x 3/32"
- (10) - 1" x 1-1/4" x 1/8"
- (10) - 13/16" x 1-1/16" x 1/8"
- (10) - 7/8" x 1-1/8" x 1/8"
- (10) - 15/16" x 1-3/16" x 1/8"
- (10) - 1" x 1-1/4" x 1/8"
- (10) - 1-1/16" x 1-5/16" x 1/8"
- (10) - 1-1/8" x 1-3/8" x 1/8"
- (10) - 1-3/16" x 1-1/2" x 1/8"
- (10) - 1-5/16" x 1-9/16" x 1/8"
- (10) - 1-3/8" x 1-5/8" x 1/8"
- (10) - 1-7/16" x 1-11/16" x 1/8"
- (10) - 1-1/2" x 1-3/4" x 1/8"
- (10) - 1-5/8" x 1-7/8" x 1/8"
- (10) - 1-3/4" x 2" x 1/8"
- (10) - 1-7/8" x 2-1/8" x 1/8"
- (10) - 1-7/8" x 2-1/4" x 1/8"



## ATD-353 150-PC. HAIR PIN ASSORTMENT

### Includes:

- (42) 3/32" x 1-3/16"
- (30) 5/64" x 1-5/16"
- (25) 7/64" x 1-5/8"
- (25) 5/64" x 1-9/16"
- (20) 9/64" x 1-3/4"
- (8) 5/32" x 2-15/16"
- Molded storage case included



## ATD-354 300-PC. SNAP RING ASSORTMENT

### Includes:

- (5) 1-1/4"
- (10) 1"
- (10) 13/16"
- (35) 3/4"
- (30) 5/8"
- (20) 9/16"
- (20) 7/8"
- (50) 7/16"
- (30) 1/4"
- (20) 5/16"
- (20) 1/2"
- (30) 1/4"
- Molded storage case included



## ATD-352 200-PC. SPRING ASSORTMENT

### Features:

- Made from 65Mn spring steel
- Molded storage case

### Includes:

- (12) 5/32" x 3-1/8"
- (10) 1/4" x 7/8"
- (10) 7/32" x 1"
- (8) 3/16" x 1-3/4"
- (10) 9/32" x 1-1/2"
- (8) 5/16" x 1-1/8"
- (12) 5/16" x 1-3/4"
- (10) 11/32" x 1-7/16"
- (12) 9/32" x 2-3/16"
- (10) 5/16" x 1-1/4"
- (10) 13/64" x 13/16"
- (12) 11/32" x 1-27/32"

### Includes:

- (10) 1/4" x 13/32"
- (10) 7/32" x 1-1/2"
- (10) 9/32" x 3/4"
- (12) 3/8" x 3/4"
- (10) 7/32" x 11/16"
- (10) 9/32" x 1/2"
- (6) 3/8" x 5/8"
- (8) 23/64" x 1-3/8"



## ATD-39353 80-PC. CHRYSLER RETAINER ASSORTMENT

### Includes:

- (10) Fender/Bumper Shield Retainer
- (10) Radiator Yoke & Fender Bumper
- (10) Trim Panel Chry Mini/Saturn 91
- (5) Hood Ins Retainer Chry/Ford
- (5) Door Trim Panel Retainer Chry/Ford 81-on
- (5) Weatherstrip Retainer Neon/GM 96-on
- (10) Chry Fender/Bumper Retainer 89-94
- (10) Chry Fascia Retainer 85-on
- (3) Headlight/Panel Retainer Chry 93-on
- (3) Chry Panel Retainer
- (4) Door Trim Panel Retainer Chry Vans 98-on
- (5) Door Panel Retainer Chry/GM 76-on
- Molded storage case included



## ATD-39357 105-PC. ERGO TUFLOK RETAINER ASSORTMENT

### Includes:

- (10) Mud Skirt Blind Rivets GM
- (10) Splash Shield Blind Rivets GM
- (5) 8mm Push Type Retainer
- (5) 10mm Push Type Retainer Ford
- (5) Bumper Pad Blind Rivets GM
- (5) Radiator Shroud Blind Rivets Ford
- (5) Door Panel Retainers GM
- (3) 1/4" Push Type Retainers Chry (11/16" head)
- (4) 5/16" Splash Shield/Fascia Retainer Ford
- (4) Trim Fascia Retainer Ford
- (2) 1/4" Push Type Retainers Chry (7/8" head)
- (2) 1/2" Push Type Retainer Chry
- Molded storage case included



## ATD-39352 120-PC. MASTER FORD RETAINER ASSORTMENT

### Includes:

- (5) 1/4" Shield Retainer
- (5) 13/64" Shield Retainer
- (5) 7/32" Shield Retainer
- (5) 1/4" Trim Panel Retainer
- (5) 9/32" Interior Trim Retainer
- (5) 23/64" Shield Retainer
- (5) 25/64" Fascia Bumper Retainer
- (5) #N801925-S Door Trim Panel Clips
- (5) 9/32" Trim Panel Retainer
- (5) #D30Z-16776A Hood Insulation Retainer
- (5) #385661-S Door Trim Panel Retainer
- (5) #387496-S Trim Panel Retainer
- (5) Black Nylon Weatherstrip Fastener - GM Ford and AMC
- (5) Black Nylon Mud Shield Retainer - GM, FORD and Chrysler 76-on
- (5) Black Nylon Bumper, Fender Trin, Panel, Seat and Carpet Retainer - GM, Ford and Chrysler 91-on
- (5) Black Nylon Hood Insulation Clips - Ford #386553-S
- (5) Black Nylon Hood Insulation Clips - Ford #388908-S
- (5) Black Nylon Door Trim Panel Retainer - Ford #N805155-S
- (5) Natural Nylon Door Trim Panel Retainer - Ford #N805612-S100
- (5) White Nylon Door Trim Panel Retainer - Ford #387477-S
- (5) Seat Back Black Nylon Door Trim Panel Retainer - Ford #387182-S
- (5) Natural Nylon Door Trim Panel Retainer - Ford #389144-S
- (5) Black Nylon Hood Insulation Retainer - Ford #N808842-S
- (5) Black Nylon Fascia Retainer - Ford Mustang and Capri 84-on



## ATD-39354 80-PC. HONDA RETAINER ASSORTMENT

### Includes:

- (10) Weatherstrip Retainer Honda/Acura 92-on
- (5) Honda Ins Retainer Acura 91-on
- (5) Hood Trk Moulding Acura/Honda
- (10) Bumper Retainer Acura/Honda 94-on
- (5) Trim Retainer Honda Accord 90-on
- (5) Trim Retainer Honda Accord 91-on
- (5) Bumper Fascia Retainer Accord 90-on
- (5) Front/Rear Bumper Retainer Accura
- (5) Front/Rear Bumper Retainer Honda 90-on
- (5) Bumper Fascia Retainer Accord 90-on
- (10) Front Bumper Retainer Acura/Honda 96-on
- (10) Bumper Retainer Accord/Odyssey 96-on
- Molded storage case included



## ATD-39351 82-PC. FORD RETAINER ASSORTMENT

### Includes:

- (10) Radiator Yoke & Fender Bumper
- (4) Ford Trim Panel Retainer 82-on
- (4) Taurus/Sable Carpet Retainer 96-on
- (10) Ford Trim Panel Retainer 80-on
- (5) Trim Panel Ford 83-on/Chry Minivan
- (10) Trim Panel Ford Expl 93-on/Trunk
- (5) Bumper Fascia Retainer GM 81-on
- (10) Door Trim Panel Retainer Ford 81-on
- (4) Ford Trim Panel Retainer
- (10) Hood Ins Retainer Ford/Chry
- (5) Door Trim Panel Retainer Ford 81-on
- (5) Trim Panel Retainer Ford/Chry 75-on
- Molded storage case included



## ATD-39356 60-PC. PUSH-PIN TYPE RETAINER ASSORTMENT

### Includes:

- (10) Mud Skirt & Fender Liner GM/Chry
- (10) Splash Shld Fascia Retainer GM/Ford
- (5) Air Baffle Retainer Saturn 91-on
- (5) Front Bumper Cover Ford Truck
- (5) Fascia Retainer GM 79-on
- (5) Rad Shrd Trim Retainer GM/Ford 82-on
- (5) Door Trim Panel GM Truck
- (3) Cool Recovery Tank GM/Chry 92-on
- (4) Fascia Retainer Splash Shld Ford/Chry
- (4) Fascia Retainer Trim Grl Ford
- (2) Trim Retainer Jeep Grand Cherokee
- (2) Trim Retainer Chry Concorde
- Molded storage case included



# ASSORTMENTS

## ATD-39350 90-PC. GM RETAINER ASSORTMENT

### Includes:

- (10) Door Trim Panel Retainer GM 78-on
- (10) Radiator Apron Panel Retainer
- (5) Door Trim Panel Retainer GM 83-on
- (10) Fender/Bumper Shield Retainer
- (10) Radiator Yoke & Fender Bumper
- (10) Weatherstrip Retainer GM/Ford
- (10) Weatherstrip Retainer GM/Chry 77-on
- (5) Weatherstrip Retainer GM 74-on
- (5) Trim Panel Retainer GM 68-on
- (5) Splash Shield/Radiator Air Baffle
- (5) Trim Panel Saturn 91-on/Chry Minivan
- (5) Rear Hood Seal GM 83-on
- Molded storage case included



## ATD-39355 80-PC. TOYOTA RETAINER ASSORTMENT

### Includes:

- (10) Hood Seal Retainer Lexus/Toyota 85-on
- (5) Toyota/Nissan Retainer Clip
- (5) Toyota Retainer Clip
- (5) Hood Ins Retainer Camry/Lexus 88-on
- (5) Toyota Retainer Clip
- (5) Door Panel Retainer Toyota
- (10) Trim Retainer Toyota/Mazda
- (5) Bumper Cover Retainer Camry 92-on
- (10) Rear Bumper Cover Retainer Toyota Tercel
- (10) Front Fender Liner Toyota Tercel
- (5) Door Trim Retainer Toyota
- (5) Door Trim Retainer Toyota
- Molded storage case included



## ATD-39358 120-PC. MASTER PUSH-PIN RETAINER ASSORTMENT

### Includes:

- (5) Mud Skirt & Fender Liner GM/Chry
- (5) Splash Shld Fascia Retainer GM/Ford
- (5) Air Baffle Retainer Saturn 91-on
- (5) Front Bumper Cover Ford Truck
- (5) Fascia Retainer GM 79-on
- (5) Rad Shrd Trim Retainer GM/Ford 82-on
- (5) Door Trim Panel GM Truck
- (5) Cool Recovery Tank GM/Chry 92-on
- (5) Fascia Retainer Splash Shld Ford/Chry
- (5) Fascia Retainer Trim Grl Ford
- (5) Trim Retainer Jeep Grand Cherokee
- (5) Trim Retainer Chry Concorde
- (5) Trim Retainer Honda
- (5) Bumper Retainer Acura, Honda 94-on
- (5) Trim Retainer Honda Accord 90-on
- (5) Washer/Overflow Bottle Retainer GM
- (5) Bumper Push Retainer
- (5) Trim Retainer Toyota/Mazda
- (5) Bumper Cover Retainer Mazda LS398
- (5) Rocker Panel/Wheel Liner Retainer
- (5) Trim Retainer Honda/Mazda/Nissan
- (5) Trim Retainer Honda Accord 91-on
- (5) Fascia Retainer GM 92-on
- (5) Bumper Fascia Retainer Accord 90-on
- Molded storage case included



## ATD-373 245-PC. ROLL PIN ASSORTMENT, 1/16" - 1/4"

### Includes:

- (30) 1/16" x 3/4"
- (30) 3/32" x 1"
- (25) 3/32" x 1-1/4"
- (30) 1/8" x 5/8"
- (20) 1/8" x 1-1/4"
- (20) 5/32" x 1"
- (25) 3/16" x 5/8"
- (20) 3/16" x 1"
- (10) 7/32" x 1-3/4"
- (15) 1/4" x 5/8"
- (10) 1/4" x 1-1/4"
- (10) 1/4" x 1-3/4"
- Molded storage case included



## ATD-342 125-PC. METRIC COPPER WASHER ASSORTMENT

### Includes:

- (10) 10mm x 5mm
- (10) 10mm x 6mm
- (10) 10mm x 7mm
- (10) 11mm x 8mm
- (10) 16mm x 10mm
- (10) 17mm x 10.5mm
- (10) 17mm x 11mm
- (10) 18mm x 14mm
- (10) 20mm x 12mm
- (5) 20mm x 12.5mm
- (10) 20mm x 14mm
- (5) 20mm x 15mm
- (5) 22mm x 16mm
- (5) 24mm x 16.5mm
- (5) 24mm x 17.5mm



## ATD-372 315-PC. ROLL PIN ASSORTMENT, 1/16" - 3/8"

### Includes:

- (10) 5/32" x 5/8"
- (10) 5/32" x 1"
- (10) 5/32" x 1-1/2"
- (10) 5/64" x 1/4"
- (10) 5/64" x 1/2"
- (10) 5/64" x 1"
- (10) 1/16" x 3/16"
- (10) 1/16" x 3/4"
- (10) 3/32" x 5/8"
- (10) 3/32" x 1"
- (10) 3/32" x 1-1/4"
- (15) 1/8" x 5/8"
- (15) 1/8" x 1"
- (15) 1/8" x 1-1/4"
- (10) 1/4" x 5/8"
- (10) 1/4" x 1-1/4"
- (10) 1/4" x 1-3/4"
- (10) 5/16" x 3/4"
- (10) 5/16" x 1-1/2"
- (10) 5/16" x 2"
- (5) 3/8" x 2"
- (15) 3/16" x 5/8"
- (15) 3/16" x 1"
- (15) 3/16" x 1-1/4"
- (10) 7/32" x 5/8"
- (10) 7/32" x 1-1/4"
- (10) 7/32" x 1-3/4"
- (5) 3/8" x 2"
- (15) 3/16" x 5/8"
- (15) 3/16" x 1"
- (15) 3/16" x 1-1/4"
- Molded storage case included



## ATD-359 110-PC. SAE COPPER WASHER ASSORTMENT

### Includes:

- (30) 1/4"
- (25) 5/16"
- (20) 3/8"
- (15) 7/16"
- (10) 1/2"
- (10) 5/8"
- Molded storage case included



## ATD-371 200-PC. FIBER AND NYLON WASHER ASSORTMENT

### Includes:

- (25) 1/8" Fiber
- (20) 3/16" Fiber
- (20) 1/4" Fiber
- (15) 5/16" Fiber
- (15) 1/8" Nylon
- (25) 1/8" Nylon
- (15) 5/16" Nylon
- (20) 3/16" Nylon
- (10) 1/2" Nylon
- (10) 3/8" Nylon
- (20) 1/4" Nylon
- (10) 1/2" Nylon
- (10) 3/8" Nylon
- Molded storage case included





## ATD-360 350-PC. STAINLESS LOCK AND FLAT WASHER ASSORTMENT

### Includes:

- (50) #6 Lock Washer
- (40) #8 Lock Washer
- (30) #10 Lock Washer
- (25) 1/4" Lock Washer
- (15) 5/16" Lock Washer
- (15) 3/8" Lock Washer
- (50) #6 Flat Washer
- (40) #8 Flat Washer
- (30) #10 Flat Washer
- (30) #10 Flat Washer
- (15) 5/16" Flat Washer
- (15) 3/8" Flat Washer
- Molded storage case included



## ATD-308 250-PC. SOLDER SEAL WIRE CONNECTOR ASSORTMENT

### Features:

- Color-coded tubing makes it easy to identify the right size of the connector for every application
- Ideal for automotive, marine or any applications exposed to the elements
- Material: Tin + polyethylene

### Includes:

- (40) 26-24 AWG
- (100) 22-18 AWG
- (90) 16-14 AWG
- (20) 12-10 AWG



## ATD-331 200-PC. METRIC SOCKET HEAD SET SCREW ASSORTMENT

### Includes:

- (10) M3x5
- (10) M4x5
- (10) M5x6
- (30) M6x6
- (20) M6x6 Fine Thread
- (20) M6x10
- (30) M8x10
- (20) M8x10 Fine Thread
- (20) M8x12
- (10) M10x10
- (10) M10x10 Fine Thread
- (10) M10x12



## ATD-307 209-PC. WEATHER PACK SEALED CONNECTOR KIT

### Features:

- (208) Weather pack pieces and (1) terminal release tool for assembling 1, 2, 3 & 4 pin weather pack terminals
- For 16 to 12 AWG wires, covering a majority of weather pack applications

### Includes:

- (2) 1 Position connector - female
- (2) 2 Position connector - female
- (2) 3 Position connector - female
- (2) 4 Position 1x4 connector - female
- (2) 4 Position 2x2 connector - female
- (2) 1 Position connector - male
- (2) 2 Position connector - male
- (2) 3 Position connector - male
- (2) 4 Position 1x4 connector - male
- (2) 4 Position 2x2 connector - male
- (84) Green silicone seals 20-14 AWG
- (20) Blue silicone seals 20-14 AWG
- (14) Male terminals 20-18 AWG
- (14) Male terminals 16-14 AWG
- (14) Male terminals 12 AWG
- (14) Female terminal 20-18 AWG
- (14) Female terminals 16-14 AWG
- (14) Female terminals 12 AWG
- (1) Terminal release tool
- Molded storage case included



## ATD-306 DUAL WALL HEAT SHRINK DISPENSER SET

### Features:

- Cut-to-length dual wall heat shrink tubing used to insulate and protect wires from abrasion and environmental elements
- Shrink Ratio 3:1

### Includes:

- Countertop or wall mount steel rack with support bar to hold cartons in place during dispensing
- (6) sizes of Shrink Tubes:
  - ATD-30601 - 1/8" x 15 ft.
  - ATD-30602 - 3/16" x 15 ft.
  - ATD-30603 - 1/4" x 10 ft.
  - ATD-30604 - 3/8" x 10 ft.
  - ATD-30605 - 1/2" x 10 ft.
  - ATD-30606 - 5/8" x 10 ft.

**ATD-81055  
SHOP STOOL  
WITH CHECKER DESIGN**

- Features:**
- Great for the shop, garage, basement, bar, etc.
  - Padded 14-1/4" diameter seat swivels 360°
  - Chrome plated steel legs

- Specifications:**
- Height: 28-3/8" tall
  - Weight capacity: 330 lbs.



**ATD-81075  
ADJUSTABLE SHOP STOOL  
WITH BACKREST**

- Features:**
- Powder coated steel components
  - Seat height adjusts from 29.50" to 34.25" and swivels 360°

- Specifications:**
- Weight capacity: 300 lbs.
  - Seat Diameter: 14"



**ATD-10325  
HEAVY-DUTY FOLDING  
ALUMINUM PLATFORM**

- Features:**
- Perfect for getting that extra reach when working on or washing trucks, vans, SUVs & RVs
  - 19-1/2" tall
  - Holds up to 330 lbs.
  - Non-slip platform area measures 30" x 11-3/4"
  - Lightweight, space saving design folds away for easy storage
  - Construction: 6063 aluminum alloy
  - Hinges: Steel with safety locks for solid & stable work platform
- Certification: EN131 for 330 lbs.  
• Shipping Weight: 10 lbs.



**ATD-9534  
EXTRA-LONG FOLDING  
ALUMINUM PLATFORM**

- Features:**
- Perfect for getting that extra reach when working on or washing trucks, vans, SUVs and RVs
  - Anti-slip strips ensure secure footing on work platform
  - Extra-long work platform measures 38" x 12"
  - Non-slip rubber feet on work platform for added stability
  - Lightweight, space saving design folds away for easy storage
  - Steel hinges with safety locks for solid and stable work platform
  - Certification: EN131 for 330 lbs.
- 19.685" tall  
• Construction: 6063 aluminum alloy  
• Maximum Weight Capacity: 330 lbs.



**ATD-81000  
FOAM KNEELING PAD**

- Features:**
- Lightweight, comfortable and shock-absorbent
  - Durable high-density EVA foam
  - Carrying/hanging handle
  - Easy to clean
  - Nonslip surface

- Specifications:**
- Overall Dimensions: 18" W x 11" D 1.5" H
  - Shipping Weight: 1 lbs.
  - Material: EVA Foam



**ATD-8071  
2" X 27 FT. RATCHETING TIE DOWN  
WITH DOUBLE J-HOOKS**

- Features:**
- 10,000 lbs. break strength
  - 3,333 lbs. working load limit
  - Double J-hooks attach to most anchor points
  - Heavy-duty abrasion resistant webbing for long life
  - Meets DOT & CVSA requirements



**ATD-8073  
20 FT. X 2" VEHICLE  
TOW STRAP**

- Features:**
- 20,000 lbs. maximum capacity
  - 20 ft. x 2" nylon strap
  - Double reinforced twisted ends



**ATD-8077  
15 FT. 10,000 LBS.  
EMERGENCY TOW ROPE**

- Features:**
- 15 ft. long, 2" nylon strap
  - 10,000 lbs. maximum capacity
  - Includes (2) safety hooks



**ATD-8072  
4-PC. 15 FT.  
RATCHETING TIE DOWN SET**

- Features:**
- 1" wide nylon webbing for maximum strength
  - Double vinyl coated heat treated steel S-hooks provide a secure hold without scratching
  - Durable weather-resistant nylon webbing
  - Quick automatic release, releases strap instantly
  - Adjusts from 1 to 15 ft.
  - 1,500 lbs. tie down capacity



**ATD-8074  
4-PC. 5-1/2 FT. TIE DOWN SET**

- Features:**
- 1" wide nylon webbing for maximum strength
  - Double vinyl coated heat treated steel S-hooks provide a secure hold without scratches
  - Durable weather-resistant nylon webbing
  - Quick automatic release, releases strap instantly
  - Adjusts from 1 to 5-1/2 ft.
  - 1,000 lbs. tie down capacity



**ATD-83250  
6 FT. MAGIC SIPHON**

- Features:**
- Magic siphon safely transfers gasoline, diesel and water
  - Transfers up to 5 gallons of liquid per minute
  - Antistatic PVC hose with brass fitting
  - Hose Diameter: .75" I.D., .90" O.D.
  - Simply shake the hose up and down to start the transfer with no risk of swallowing harmful liquids



**ATD-9100  
PISTOL-GRIP ADJUSTABLE  
WATER HOSE NOZZLE**

**Features:**

- Heavy-duty all zinc body
- Adjustable brass valve & adjusting nut
- Comfortable, insulate grip
- Trigger allows adjustment from fine mist to powerful stream
- Clip locks on any spray pattern
- Standard 3/4" hose thread



**ATD-9101  
FIREMAN STYLE WATER  
HOSE NOZZLE**

**Features:**

- Nozzle made of heavy-duty brass
- Will not corrode like cheaper aluminum versions
- Heavy-duty rubber insulation & grip
- Adjustable from gentle fan spray to powerful jet stream
- Standard 3/4" hose thread
- Shipping Weight: 1.15 lbs.



**ATD-4972  
UNIVERSAL LOCKOUT TOOL**

**Features:**

- Push tool down into the door between the weather stripping and the window glass
- For use on cars with lock button on the side of door

**ATD-4976  
6-PC. LOCKOUT  
TOOL KIT**

**Features:**

- Universal lockout tool for most standard locks
- Button jack lockout tool for button-type locks
- Vent key lockout tool for truck and van vent windows
- K-key for opening locks directly through the key hole
- Slide-unlocked tool
- Wedge



**ATD-10160  
MAGNETIC FENDER  
COVER**

**Features:**

- Strong magnets hold cover in position on vehicle fender
- Grease and acid resistant
- Non-mar backing will not harm finish
- 24" x 32"



**ATD-8237  
HAN  
DEGREASER  
BRUSH**

**Features:**

- Lightweight, yet durable brush with non-slip grips for firm hold
- Special stiff row for cleaning under nails



**BLACK UV  
STABILIZED NYLON  
CABLE TIES**

Number	Description	Quantity	Tensile Strength
ATD-20400	400 Pc. Black UV Stabilized Nylon Cable Tie Assortment	200 Pc. 4" 100 Pc. 8" 100 Pc. 11"	18 lbs. 50 lbs. 50 lbs.
ATD-20404	100 Pc. 4" Black UV Stabilized Nylon Cable Ties	100 Pc. 4"	18 lbs.
ATD-20408	100 Pc. 8" Black UV Stabilized Nylon Cable Ties	100 Pc. 8"	50 lbs.
ATD-20411	100 Pc. 11" Black UV Stabilized Nylon Cable Ties	100 Pc. 11"	50 lbs.
ATD-20414	100 Pc. 14" Black UV Stabilized Nylon Cable Ties	100 Pc. 14"	50 lbs.
ATD-20415	100 Pc. 15" Black UV Stabilized Nylon Cable Ties	100 Pc. 15"	120 lbs.
ATD-20418	25 Pc. 18" Black UV Stabilized Nylon Cable Ties	25 Pc. 18"	120 lbs.
ATD-20425	25 Pc. 25" Black UV Stabilized Nylon Cable Ties	25 Pc. 25"	175 lbs.
ATD-20436	25 Pc. 36" Black UV Stabilized Nylon Cable Ties	25 Pc. 36"	175 lbs.



**ATD-8737  
4" PISTOL-GRIP AIR BLOW  
GUN WITH RUBBER TIPS**

**Features:**


- Includes 9/16", 15/16" and 1-3/8" rubber tips
- Extremely useful when blowing out clogged lines, hoses and pipes
- OSHA-compliant rubber safety tips provide a good seal
- Working pressure: 75-120 psi
- 1/4" NPT inlet



**ATD-8736  
20" PISTOL-GRIP AIR  
BLOW GUN WITH RUBBER TIPS**

**Features:**

- Includes 9/16", 15/16" and 1-3/8" rubber tips
- Extremely useful when blowing out clogged lines, hoses and pipes
- OSHA-compliant rubber safety tips provide a good seal
- Working pressure: 75-120 psi
- 1/4" NPT inlet



**ATD-8735  
13" PISTOL-GRIP AIR  
BLOW GUN WITH RUBBER TIPS**

**Features:**

- Includes 9/16", 15/16" and 1-3/8" rubber tips
- Extremely useful when blowing out clogged lines, hoses and pipes
- OSHA-compliant rubber safety tips provide a good seal
- Working pressure: 75-120 psi
- 1/4" NPT inlet



**ATD-8738  
4" & 13" PISTOL-GRIP AIR BLOW  
GUN SET WITH RUBBER TIPS**

**Features:**

- Includes 9/16", 15/16" and 1-3/8" rubber tips
- Extremely useful when blowing out clogged lines, hoses and pipes
- OSHA-compliant rubber safety tips provide a good seal
- Working pressure: 75-120 psi
- 1/4" NPT inlet





160 Enterprise Drive | Wentzville, MO 63385 | [www.atdtools.com](http://www.atdtools.com)

©2025 ATD Tools, Inc. All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.

